



TUV Dynapower system

TUV 260W XPT DIM UNP/20

Philips Dynapower system consists of an electronic DynaPower driver that operates one or two TUV Amalgam 230W, 260W and 335W XPT lamps. This system is extremely reliable and robust. The driver allows for immediate energy savings compared to similar drivers on the market. Moreover, it can be dimmed down to 60% power level for additional energy savings. Further energy savings are realized by the TUV Amalgam XPT lamps, because they can be dimmed down to reach the same UV output as similar lamps on the market.

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- DANGER: Risk Group 3 Ultra Violet product. These lamps emit high-power UV radiation that can cause severe injury to skin and eyes. Avoid eye and skin exposure to unshielded product. Use only in an enclosed environment which shields users from the radiation.

Product data

| General Information | | | |
|---------------------|--|--|--|
| Cap-Base | G5.4X17Q [G5.4x17q] | | |
| Remarks | Warnings and Safety: A lamp breaking is extremely unlikel | | |
| | to have any impact on your health. If a lamp breaks, | | |
| | ventilate the room for 30 minutes and remove the parts, | | |
| | preferably with gloves. Put them in a sealed plastic bag and | | |
| | take it to your local waste facilities for recycling. Do not use | | |
| | a vacuum cleaner. DANGER: Risk Group 3 Ultra Violet | | |
| | product. These lamps emit high-power UV radiation that | | |
| | can cause severe injury to skin and eyes. Avoid eye and | | |

| | skin exposure to unshielded product. Use only in an | | | | |
|--------------------------|---|--|--|--|--|
| | enclosed environment which shields users from the | | | | |
| | radiation. | | | | |
| Operating Position | P10 [Parallel +/-10D or Horizontal(HOR)] | | | | |
| Main Application | Disinfection | | | | |
| | | | | | |
| Operating and Electrical | | | | | |
| Power (Nom) | 260 W | | | | |
| Lamp Current (Nom) | 3.055 A | | | | |
| | | | | | |


Datasheet, 2020, June 10 data subject to change

TUV Dynapower system

| Controls and Dimming | |
|-----------------------------|-------------------------|
| Dimmable | Yes |
| | |
| Product Data | |
| Full product code | 871150021131605 |
| Order product name | TUV 260W XPT DIM UNP/20 |
| EAN/UPC - Product | 8711500211316 |
| Order code | 928102805112 |

| Numerator - Quantity Per | 1 |
|--------------------------|--------------|
| Pack | |
| Numerator - Packs per | 20 |
| outer box | |
| Material Nr. (12NC) | 928102805112 |
| Net Weight (Piece) | 0.480 kg |
| | |


Dimensional drawing




| Product | D | 0 | C (max) |
|-------------------------|-------|---------|---------|
| TUV 260W XPT DIM UNP/20 | 32 mm | 1400 mm | 1514 mm |

TUV 260W XPT DIM

Photometric data





Lifetime



TUV Dynapower system



© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.