



KitchenAid Go Cordless System

Cordless Hand Blenders with accessories

5KHBRV05BM* - 5KHBRV75BM



- **KitchenAid Go cordless system hand blender with accessories**
The power to make, the power to move
Design efficiently blends ingredients for smoothies, milk shakes, soups, and so much more
Make without the hassle of a cord
In- and outdoor usage
- **Rechargeable 12V Lithium Ion battery***
Delivers optimal runtime and performance
Provides up to 30 minutes of continuous runtime**
Eliminates the constraints of a cord
Powers all KitchenAid Go cordless system appliances for cord-free, powerful making
Versatile ecosystem
- **U.S. patented removable pan guard**
To help protect your cookware
- **590 ml chopper attachment**
For chopping herbs, nuts, cheeses and more
- **Whisk attachment**
To quickly whip egg whites to fluffy peaks and cream or emulsify vinaigrettes and mayonnaise
Use for whisking, emulsifying and aerating
- **Complete the KitchenAid Go cordless collection*** including Hand Blenders, Hand Mixer, Food Chopper, Personal Blender, Coffee Grinder and Kitchen Hand Vacuum**
The freedom to make wherever, whatever, and however
One removable battery powers all appliances for easy swapping and maximum versatility, for meal making made easy, for endless possibilities, for maximum versatility
- **Removable 17.78 cm blending arm with a 4-point stainless steel blade design**
To efficiently blend ingredients for smoothies, milk shakes, soups, and so much more
- **4-point stainless steel blade design**
Ensures ingredients are easily turned into perfect purées and delicious recipes
- **Ergonomically designed variable speed trigger switch**
Gives greater flexibility and control over the recipe
Allows single-handed operation
- **1 L BPA-free blending jar and lid with non-slip grip ring**
Great for individual blending jobs or to serve in



MATTE BLACK

* Battery not included in the model 5KHBRV05BM. Battery sold separately.
**Maximum initial battery voltage (measured without a workload) is 12 volts.
Nominal voltage is 10.8. Actual run time will vary based on recipe and/or attachments used. Battery life impacted by factors such as battery age and use.
*** Each sold separately.

KitchenAid Go Cordless System

Cordless Hand Blenders with accessories

5KHBRV05BM - 5KHBRV75BM

TECHNICAL DATA

Motor		DC (Direct current)
Voltage		12 V
Number of speeds		2 distinct speeds (variable speed trigger switches)
Blades speed (min - max)		max. 13500 RPM
Material of motor body		Plastic
Product dimensions	H x W x D	41 x 7 x 7.9 cm
Packaging dimensions	H x W x D	32.9 x 14.5 x 37.2 cm
Master pack dimensions	H x W x D	33.7 x 30 x 38 cm
Net weight	5KHBRV05BM	1.33 kg
	5KHBRV75BM	1.63 kg
Gross weight	5KHBRV05BM	2.36 kg
	5KHBRV75BM	2.66 kg
Master pack gross weight	5KHBRV05BM	5.11 kg
	5KHBRV75BM	5.71 kg
Master pack		2 units
Country of origin		China (Designed in the USA)

Blender arm of 17.78 cm (dishwasher-safe top rack)	Yes
4-point stainless steel blade design (dishwasher-safe top rack)	Yes
Removable pan guard (dishwasher-safe top rack)	Yes
Capacity BPA-free blending jar & lid (dishwasher-safe top rack)	1 L
Whisk (dishwasher-safe top rack)	Yes
Chopper attachment	Yes
Capacity chopper bowl (dishwasher-safe top rack)	590 ml
Storage bag	No

One interchangeable battery included in model 5KHBRV75BM*/**

Rechargeable Lithium Ion battery	Battery cell type: LR1865LA
Full charge time battery	3 hours
Battery indicator light (LED)	Yes
Power cord type USB-C	Yes
Power adapter	Yes
Charging cord (black) length	91.44 cm
Running time with full battery	30 minutes***
Input USB adapter	100–240 V~, 50–60 Hz, 0.5 A
USB output	5 VDC, 2 A
Nominal voltage external battery	10.8 VDC
Maximum voltage external battery	12 VDC
Average battery lifespan	7 years based on 400 charge cycles

REFERENCES	COLOURS	EAN	EAN MASTER PACK (2 UNITS)
5KHBRV05BM	MATTE BLACK	5413184002862	5413184123963
5KHBRV75BM	MATTE BLACK	5413184002879	5413184123970

* Also available as an optional accessory.

** Not included in the model 5KHBRV05BM. Battery model 5KRB12 can be purchased as an optional accessory.

*** Maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8. Actual running time will vary based on recipe and/or attachments used. Battery life impacted by factors such as battery age and use.

KitchenAid Go Cordless System

Cordless Hand Blenders with accessories

5KHBRV05BM - 5KHBRV75BM

STANDARD ACCESSORIES



1 L BPA-free graduated hand blender jar with lid

Reduce the need to use multiple measuring cups or bowls.
Easily prepare, serve and store food in a single container.
Dishwasher-safe (top rack only).



Chopper attachment with blade and bowl

Use to cut and chop beef, onion, garlic, cheese, carrots, nuts, etc.
Recommended volume chopper attachment: raw meat (180 g), cheese (90 g), vegetable (470 ml). Use quick pulse until desired consistency is reached.
Chopper bowl only is dishwasher-safe (top rack only).



Removable blending arm 17.78 cm

To mix, blend, purée, crush, froth, whip and chop all ingredients with ease in bowls, pots or pitchers.
Dishwasher-safe (top rack only).



4-point stainless steel blade

Dishwasher-safe (top rack only).



Pan guard

Use this pan guard to avoid damage to cookware while using the cordless hand blender.
Dishwasher-safe (top rack only).



Whisk attachment

Use to whip cream, beat egg whites, mix instant puddings, vinaigrettes, mousse, or for making mayonnaise.
Dishwasher-safe (top rack only).



Rechargeable 12V Lithium Ion battery and USB-C cable**/**/**** 5KRB12

Easy to charge. Lithium-Ion batteries charge faster, last longer, and have a higher power density for more battery life in a lighter package.
Full Charge: The battery will be fully charged in around 3 hours and when all LEDs are solid.
Does not include a USB adapter.



OPTIONAL ACCESSORIES



Charging dock with fixed cable 5KRBC12

The charging dock has a 91.44 cm length cable. Includes a USB-A to USB-C charging cable.
The KitchenAid Go charging dock is designed for the home to provide a clutter-free space to charge the battery and allows to easily swap in a new battery**** if it runs out.
It plugs into a USB port for convenient charging.

TECHNICAL DATA OPTIONAL ACCESSORIES

		5KRB12 Removable 12V battery	5KRBC12 Docking station
Product dimensions	H x W x D	2.8 x 7 x 7.9 cm	2.475 x 7 x 7.9 cm
Packaging dimensions	H x W x D	10.2 x 6.1 x 10.1 cm	13.6 x 5.5 x 11.7 cm
Master pack dimensions	H x W x D	21.3 x 20.3 x 21.5 cm	14.4 x 23.4 x 36.4 cm
Net weight		0.24 kg	0.08 kg
Gross weight		0.4 kg	0.16 kg
Master pack gross weight		4.94 kg	2.26 kg
Master pack		12 units	12 units

REFERENCES	DESCRIPTION	EAN	EAN MASTER PACK (2 UNITS)
5KRB12	REMOVABLE 12V BATTERY	5413184002947	5413184903053
5KRBC12	DOCKING STATION	5413184002954	5413184903060

* Also available as an optional accessory.

** Not included in the model 5KHBRV05BM. Battery model 5KRB12 can be purchased as an optional accessory.

*** Maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8. Actual run time will vary based on recipe and/or attachments used. Battery life impacted by factors such as battery age and use.

**** Extra battery sold separately.